



DURAWOOD GLIDER

INSTRUCTIONS




Tip: When using a barrel bolt with a barrel nut, place the bolt into the barrel nut and gently turn it counter clockwise until you feel a slight click. Then proceed to turn the bolt clockwise to tighten the barrel nut onto the barrel bolt.

HARDWARE PACK



HARDWARE PACK 2



* Used for attaching to glider frame

CHAIR PARTS BOX 1

- GLIDER BACK
- GLIDER SEAT
- (2) GLIDER LEG ASSEMBLY
- (2) GLIDER FRAME SPREADER

CHAIR PARTS BOX 2


- LEFT ARM ASSEMBLY
- RIGHT ARM ASSEMBLY

SUGGESTED TOOLS


- RUBBER MALLET
- PHILLIPS HEAD SCREWDRIVER
- SOCKET WRENCH
- 1/2" x 1/4" DEEP SOCKET

ASSEMBLY

STEP 1. Attach Glider Back to left and right arm assemblies using (4) 1.5" barrel bolts.




STEP 2. Use (12) 2" barrel bolts and barrel nuts to attach glider seat, to the left and right arm assemblies.




ASSEMBLY


STEP 3. Attach (2) Glider spreaders to (2) glider leg assemblies using (8) 1.5" barrel bolts.



STEP 4. Use (4) 2.5" hex bolts, washers and lock nuts to attach glider frame assembly to glider bench assembly.



STEP 4 Continued. Shown is the proper installation of hardware for connecting the frame to the links.



Congratulations on purchasing this Durawood Glider. QUESTIONS REGARDING THIS PRODUCT? Call our customer service team, 252-758-0641.

RESIDENTIAL WARRANTY - This quality product includes a LIMITED LIFETIME WARRANTY for RESIDENTIAL CUSTOMERS. In the unlikely event any splintering, rotting, cracking, peeling, or chipping should ever occur, The Hammock Source will supply replacement parts or replace the furniture, at no charge to you. This does not include negligence, improper use, animal damage or damage caused by natural disasters. When using around fire, keep furniture at a minimum distance of 30 inches from the heat source. Prevent prolonged exposure to chlorinated water. Note that an original sales receipt must accompany any returned product, along with a Return Authorization Number from Hammock Source customer service; call at 252-758-0641.

CONTRACTOR WARRANTY - CONTRACTORS receive a LIMITED 7-YEAR WARRANTY. Follow the same steps outlined above.

MAINTENANCE - Thoroughly inspect product before each use. Periodically check bolts after assembly and re-tighten when necessary.

